



Lies vs. Truth *at the Rainbow's End*

The Top Nine Lies the Homosexual Revolution is Built Upon
and the Truth About God's Grace

Written and researched by one who once lived the homosexual lifestyle.

A Concerned Women for America Resource

Contents

Truth: Homosexuality Does Not Have To Be Forever. . . .	1
Lie #1 - Homosexuals are born that way	2
Lie #2 - Homosexuals cannot change	3
Lie #3 - Thirty percent of teen suicides are homosexuals	4
Lie #4 - Ten percent of the population is homosexual	5
Lie #5 - It is dangerous to seek help for unwanted same-sex attraction	6
Lie #6 - Youth should be encouraged to celebrate their same-sex attractions	7
Lie #7 - The Bible does not condemn homosexuality	8
Lie #8 - Homosexuality is normal and healthy	8
Lie #9 - The findings of the APAs are based on science not politics	11
Conclusion: One Truth	15
Helpful Resources	16
Endnotes	17

Truth: Homosexuality Does Not Have To Be Forever.

Dear friend,

Thirty-three years ago, as I sat on a church pew in Norfolk, Virginia, my insides ached to be free from homosexuality. Just a few days prior, I had contemplated suicide. I was so tired. I had finally reached the end of my rope of lesbianism and wanted off.

As the preacher spoke, my mind drifted, and I recalled the miracles of Christ I had learned about as a child in Sunday school: sight of the blind was restored; the lame walked; lepers were cleansed, and even the dead were brought back to life. I wondered if He was really the same today. Could I be free?



Somehow I knew that this same Jesus could take care of my homosexuality. I went forward that day and discovered that Jesus Christ still forgives, delivers, and heals people. Homosexuality does not have to be forever.

I am so grieved about the lives that are being ruined because of the deception behind the gay, lesbian, bisexual, transgender movement today. This brochure is a brief glimpse of the years of research I have conducted concerning the misinformation, overblown statistics, cover-up, and fraudulent information upon which the “sexual orientation” revolution is based. It is my hope that someone reading this will find the freedom in Jesus Christ that I have found.

Linda

Lie #1 - Homosexuals are born that way.

In 1993 the media ran a campaign blitz that a “gay gene” had been found. In reality Dean Hamer was not claiming that discovery at all. “We have not found the gene which we don't think exists for sexual orientation.” ¹

“To date there are no replicated scientific studies supporting any specific etiology for homosexuality,” says the American Psychiatric Association ²

“There is no consensus among scientists about the exact reasons that an individual develops a heterosexual, bisexual, gay, or lesbian orientation. Although much research has examined the possible genetic, hormonal, developmental, social, and cultural influences on sexual orientation, no findings have emerged that permit scientists to conclude that sexual orientation is determined by any particular factor or factors. Many think that nature and nurture both play complex roles; most people experience little or no sense of choice about their sexual orientation.” American Psychological Association ³

Historian Dr. Martin Duberman, founder of the Center for Lesbian and Gay Studies, said, “No good scientific work establishes that people are born gay or straight.”

Cultural anthropologist Dr. Esther Newton (University of Michigan) called one study linking “sexual orientation” to biological traits ludicrous: “Any




anthropologist who has looked cross-culturally (knows) it's impossible that that's true, because sexuality is structured in such different ways in different cultures." ⁴

Eight major studies of identical twins in Australia, the U.S., and Scandinavia during the last two decades **all arrive at the same conclusion: "Gays" were not born that way.** ⁵

Lie #2 - Homosexuals cannot change.

The misinformation ... that homosexuality is untreatable by psychotherapy does incalculable harm to thousands of men and women. ⁶



After twenty years of comparative study of homosexuals and heterosexuals, Irving Bieber wrote: "Reversal [homosexual to

heterosexual] estimates now range from 30% to an optimistic 50%." ⁷ Bieber followed some of his psychoanalytical clients for as long as ten years and found they had remained exclusively heterosexual. ⁸

In 2007 Drs. Stanton L. Jones and Mark A. Yarhouse published a study confirming that long-term change away from homosexual orientation can occur through religious mediation. At the end of three years, 67 percent of **men and women who had undergone group discussions, individual counseling, journaling, Scripture reading and prayer either reported a change towards heterosexual orientation or a rejection of gay identity with establishment of successful**

chastity, or were continuing to work towards one of those two goals based on the progress they had already experienced.⁹

Lie #3 - Thirty percent of teen suicides are homosexuals.

A San Francisco "gay" activist, Paul Gibson, wrote a paper claiming this figure. His research was based upon troubled youth and runaways, and his conclusions have been contradicted by many credible reports.

Former Secretary of Health and Human Services, Dr. Louis Sullivan, denounced the report claiming the high teen suicide rate related to homosexuality. The document, written by homosexual activist Paul Gibson, was an appendix to a 1989 report by the Secretary's Task Force on Youth Suicide.¹⁰

David Schaffer, a Columbia University psychiatrist and specialist on adolescent suicide, said, "I struggled for a long time over Gibson's mathematics, but in the end, it seemed more hocus-pocus than math."¹¹

Peter Muehrer, of the


$$2 + 2 = 5$$

Prevention Research Branch of the National Institute of Mental Health, stated, "... it is not possible to accurately compare suicide attempt rates between gay and lesbian youth and non-gay youth in the general population. **There is no scientific evidence to support this [30 percent] figure.**"¹²

Lie #4 - Ten percent of the population is homosexual.

Zoologist Alfred C. Kinsey ushered in the sexual revolution and gave us the myth that ten percent of the population was homosexual. His research findings were the result of the molestation of 317 children.

The Gay and Lesbian Review Worldwide admits that "Kinsey's '10 percent' category was defined very broadly, and certainly included lots of people who wouldn't qualify as out gay men or lesbians by today's definition."¹³

Newsweek reports that "new evidence suggests that ideology, not sound science, has perpetuated a 1-in-10 myth.

In the nearly half century since Kinsey, no survey has come close to duplicating his findings."¹⁴

The 2013 National Health Interview Survey data revealed that **96.6% of adults identified as straight**, 1.6% identified as "gay" or lesbian, and 0.7% identified as bisexual.¹⁵

A review of studies from the U.S. and abroad published in the *Archives of Sexual Behavior* concludes: "No study finds any figure reaching 10 percent for all respondents experiences with homosexual and bisexual activity combined. ... All these studies taken together indicate that bisexuality, and indeed homosexuality, are less common



Alfred C. Kinsey

than previously considered.”¹⁶

Drawing on information from four recent national and two state-level population-based surveys, “Among adults who identify as lesbian, gay, or bisexual, bisexuals comprise a slight majority (1.8% compared to 1.7% who identify as lesbian or gay).”¹⁷

Lie #5 - It is dangerous to seek help for unwanted same-sex attraction.

“Recent allegations that the harmfulness of Sexual Orientation Change Efforts (SOCE) have been proven scientifically are simply false. Warnings by national mental health associations of the ‘potential harmfulness of SOCE’ are unscientific, professionally irresponsible, and misleading, if not dishonest.”¹⁸

“The American Psychiatric Association (APA) has warned that efforts to change sexual orientation may be harmful and lead consumers to experience great self-hatred, depression, and other self-destructive behavior (APA, 2008; DeLeon 1998; Just the Facts Coalition, 2008). That claim is not supported by existing research.”¹⁹



Robert Perloff, PhD., former President of the American Psychological Association, stated: “I am here as the

champion of one's right to choose. ... It is my fervent belief that freedom of choice should govern one's sexual orientation. ... If homosexuals choose to transform their sexuality into heterosexuality, that resolve and decision is theirs and theirs alone, and should not be tampered with by any special interest group including the gay community. ..."²⁰

Lie #6 - Youth should be encouraged to celebrate their same-sex attractions.

Research identifies fluidity in "sexual orientation." At age twelve, 25.9% of children were "unsure" of their "sexual orientation." This figure declined to 5% by age 17, with an average "unsure" for all age groups of 10.7%.²¹




Dr. Charles Socarides, of the National Association for Research and Therapy of Homosexuality (NARTH), says, "A teenager who experiments with homosexual behavior, or who is encouraged by misguided counselors to affirm his supposedly gay identity, may find himself trapped in an addiction that is difficult to break."²²

Directing youth in a "gay"-affirming direction is negligence in light of the conclusions of a recent study. "Findings support recent evidence suggesting that gay, lesbian and bisexual young people are at increased risk of mental health problems."²³

Lie #7 - The Bible does not condemn homosexuality.

All major religions condemn homosexuality. The Word of God addresses homosexuality in both the Old and New Testaments and makes it clear that homosexuality is a sin. Men who have sex with men and women who have sex with women are called to repent of their sins as every person is called to repentance.



"If a man also lie with mankind, as he lieth with a woman, both have committed an abomination." Leviticus 20:13 KJV

"For this cause God gave them up unto vile affections: for even their women did change the natural use in that which is against nature. And likewise also the men, leaving the natural use of the woman, burned in their lust for one another, men with men ..." Romans 1:26-27 KJV

Lie #8 - *Homosexuality is normal and healthy.*

Consequences of homosexual sexual activity are distinct from the consequences of heterosexual activity. *The Journal of the American Academy of Pediatrics* has linked homosexuality to serious health risks. More than 30 risks were positively associated with self-reported gay, lesbian and bisexual orientation. The study conducted by the

Harvard Medical School involved 4,159 high school students.²⁴

Health Risks for Men

"Gay bowel syndrome" is a stretched internal anal sphincter caused by repeated anal penetration which results in the inability to completely seal, thus allowing fecal seepage.²⁵

STDs (Sexually Transmitted Diseases)

Syphilis "We are very concerned about what we consider this rising epidemic of syphilis among gay and bisexual men," said Dr. Gail Bolan, director of the CDC's division of STD prevention. In 2012 there were almost 9,000 cases of syphilis, and 84 percent of them were among "gay" and bisexual men, Bolan noted. "We are talking about cases more than doubling," she added.²⁶

HPV (Human Papillomavirus) may lead to the development of anal and oral cancer. Men who have sex with men are 17 times more likely to develop anal cancer than heterosexual men.²⁷

Hepatitis A, B and C, are contagious liver diseases.²⁸

HIV/AIDS is on the rise among young "gay" and bisexual men. A new study from the Centers for Disease Control and Prevention found annual diagnoses of HIV among men ages 13-24 who have sex with men rose by 132.5 percent between 2001 and 2011. Previous CDC studies also found youth

aged 13 to 24 accounted for more than one in four new HIV infections in the U.S. in 2010. ²⁹

Mental Health. Men who have sex with men (MSM) are at greater risk for mental health problems. The majority experience major depression, bipolar disorder and generalized anxiety disorder. ³⁰

Substance Abuse. "Gay" and bisexual men, lesbians, and transgender individuals are more likely to use alcohol and drugs and have higher rates of substance abuse. ³¹



Life Expectancy. An epidemiological study from Vancouver, Canada, tabulated for AIDS-related deaths revealed that male homosexual or bisexual practitioners lost up to 20 years of life expectancy. ³²

Health Hazards for Women who have Sex with Women

Research tells us that lesbian and bisexual women are at a higher risk for certain problems than other women.

- ◆ They have higher rates of obesity, smoking, and stress which puts them at higher risk for heart disease.
- ◆ Lesbian and bisexual women are at higher risk for developing some cancers.
- ◆ Lesbians are less likely than heterosexual women to have had a full-term pregnancy.
- ◆ Viruses that cause most cervical cancer can be

sexually transmitted between women.

- ◆ Lesbians have increased risk for lung cancer.
- ◆ Lesbian and bisexual women report higher rates of depression and anxiety than other women


Polycystic Ovary Syndrome (PCOS). A hormonal problem of the reproductive system in women of childbearing age affects a woman's menstrual cycle (monthly bleeding), fertility (ability to get pregnant), hormones, insulin production, heart, blood vessels, and appearance.

STDs. Women who have sex with women are at risk for these STDs: Bacterial vaginosis, Chlamydia, Genital Herpes, Human papillomavirus (HPV), pubic lice, Trichomoniasis, Gonorrhea, Hepatitis, and Syphilis. ³³

Lie #9 - The findings of the APAs are based on science not politics.

"The American Psychiatric Association and the American Psychological Association have through

the years of the 'sexual orientation movement' departed from making decisions based upon science and resorted to political activism.



"The American Psychiatric Association (APA), the main professional organization of psychiatrists in the United States, publishes the *Diagnostic and Statistical Manual of Mental Disorders* (DSM) which serves as the key guide for diagnosing disorders.

"From 1970 to 1973, 'gay' activists within the American Psychiatric Association repeatedly disrupted national meetings. The political pressure worked, and in 1973, a committee of the psychiatric association met in closed session and voted to remove homosexuality as a mental disorder from the Diagnostic and Statistical Manual of Mental Disorders (DSM -II).

"When the decision was presented, dissenters were given only 15 minutes to protest the change. An appeal was made calling for a vote by the membership-at-large.

"Immediately, activists drafted a letter; the National Gay Task Force (NGTF) purchased the APA membership mailing list and sent out the letter to the APA members, urging them to vote to remove homosexuality as a disorder. Members were not informed that a homosexual activist group had funded the 'mailing.'"³⁴

"The final tally was not impressive; the vote was 5,584 to 3,810 out of about 30,000 APA members, meaning that only about 37 percent of the APA took part in the decision."³⁵

"Homosexuality was no longer a treatable disorder. In one day, 200 years of research was thrown away."³⁶

"According to the American Psychiatric Association, until 1974 homosexuality was a mental illness. What's noteworthy about this is that the removal of homosexuality from the list of mental illnesses was not triggered by some scientific breakthrough.

"Also noteworthy is the fact that the vote of the

membership was by no means unanimous. So all the people who had this terrible 'illness' were 'cured' overnight by a *vote!*

"Real illnesses are not banished by voting or by fiat, but by valid science and hard work."³⁷

"Sympathizers with the APA's decision to remove homosexuality from the disorder list admit that politics, rather than science, was the chief reason for removal.

"Gay gene proponent Simon LeVay concedes, 'Gay activism was clearly the force that propelled the APA to declassify homosexuality.'"³⁸

"The American Psychiatric Association (APA) is presently moving towards destigmatizing pedophilia. In the updated *Diagnostic and Statistical Manual of Mental Disorders* (DSM), there is a distinction between pedophiles who desire sex with children and those who act on those desires.

"The former group -- those who want to have sex with children but whose desires are not distressing or harmful to themselves or others -- is no longer classified as having a psychiatric condition in the updated DSM."³⁹

Dr. Nicholas Cummings, former president of the American Psychological Association, says that the APA has been taken over by "ultraliberals" beholden to the "gay rights movement," who refuse to allow an open debate on reparative therapy for homosexuality. "...The APA 'started changing pretty drastically by the late 1980's,' said Cummings. By the mid 1990's, ... political stances seemed

to override any scientific results. Cherry-picking results became the mode. The gay rights movement sort of captured the APA."⁴⁰

"The American Psychological Association Task Force has now released a biased report on sexual orientation change efforts (SOCE). In this lopsided study they have concluded that efforts to change sexual orientation are unlikely to be successful and involve some risk of harm, contrary to the claims of SOCE practitioners and advocates.

"Not only were Task Force members gay, but all - including the one non-gay-identified member, and the one bisexual member- engaged in gay activism before their selection for the Task Force. They were all well-known for their disapproval of efforts on the part of homosexual clients to seek change."⁴¹

"The APA 'Task Force Report on Appropriate Therapeutic Responses to Sexual Orientation' was issued by five psychologists and one psychiatrist who are all activists in gay causes. The APA rejected, for membership on this committee, every practitioner of sexual-reorientation therapy who applied for inclusion.

The fact that the Task Force was composed entirely of activists in gay causes, most of whom are also personally gay, explains their failure to be scientifically objective. If the APA truly wished to study sexual orientation, they would have followed established scientific practice by choosing a balanced committee that included individuals with differing values and worldviews."⁴²

Conclusion: **One Truth.**

You may feel that your life is over and all of your hopes are gone. It may feel as if a heavy weight is upon your back and the constriction in your chest is unbearable. I've been there.

Bad choices may have taken you down this dead end road but your journey does not have to end here. It didn't for me.

Grace and mercy, divine favors of the Living God, are just a whisper away. Call upon the Lord, and He will answer you. God gave His Son, Jesus Christ, so we could be pardoned (forgiven) of our crimes (sins) and have a newness of life.

“For God so loved the world that He gave His only begotten son, that whoever believes in Him should not perish but have everlasting life.” John 3: 16 (NKJV)

You may not be able to understand it all, but it is as if God takes a giant eraser and erases all and gives us a clean slate. Starting over again is possible with God. It's true; it happened to me. Homosexuality does not have to be forever.

The homosexual revolution's rainbow leads to lies, pain, and death. The rainbow you see in the sky is made by the same One who created you in His image. He offers you life, hope and a future.



Be sure to review the *Helpful Resources* below. There are many people ready and waiting to assist you in this new beginning.

In Christ the Savior,

Linda

Helpful Resources

General Help

<http://www.restoredhopenetwork.com/>

<http://www.ha-fs.org/> Homosexuals anonymous

<http://desertstream.org/>

<http://www.dennisjernigan.com/>

<http://www.firststone.org/>

<http://www.newheartsoutreach.org/>

<http://www.ccrhouston.org/> Christian coalition for reconciliation

<http://www.jonahweb.org/> JONAH Jews Offering New Alternatives for Healing

<http://couragerc.org/> Catholic community

<http://www.pathinfo.org/> Positive Alternatives to Homosexuality

<http://www.takingbackground.com/>

<http://www.pfox.org>

Gender Identity/Transgender Specific

<http://help4families.com/>

<http://www.sexchangeregret.com/>

Counseling/Professional

<http://www.narth.com/> National Association for Research and Therapy of Homosexuality (NARTH)

<http://www.comingoutloved.com/> International Healing Foundation

<http://www.peoplecanchange.com/>

<http://josephnicolosi.com/> Thomas Aquinas Psychological Clinic

Endnotes:

¹ Hamer DH, Hu S, Magnuson VL, Hu N, Pattatucci AML. 1993. A linkage between DNA markers on the X-chromosome and male sexual orientation. *Science* 261:321-7

² <http://healthyminds.org/More-Info-For/GayLesbianBisexuals.aspx>; What causes Homosexuality/Heterosexuality/Bisexuality?

³ Page 2 Answers to Your Questions For a Better Understanding of Sexual Orientation & Homosexuality by American Psychological Association

<http://apa.org/topics/sexuality/orientation.aspx>; What causes a person to have a particular sexual orientation?

⁴ <http://www.acpeds.org/wp-content/uploads/May-2014-Newsletter.pdf>

⁵ <http://www.hollanddavis.com/?p=3647>

⁶ Fine R. 1987. *Psychoanalytic Theory, Male and Female Homosexuality Psychological Approaches*. Washington: Hemisphere Publishing Corporation

⁷ Bieber I. 1962. *Homosexuality: A Psychoanalytic Study*. New York: Basic Books

⁸ Bieber I, Bieber TB. 1979. Male Homosexuality. *Canadian Journal of Psychiatry* 24(5):409-421

⁹ Robert Perloff, Ph.D., "Free to Choose," Speech presented at the National Association for Research and Therapy of Homosexuality (NARTH) Conference, Washington, D.C., November 12-14, 2004.

¹⁰ Peter LaBarbera, "The Gay Youth Suicide Myth," www.leaderu.com/jhs/labarbera.html.

¹¹ "Political Science," *The New Yorker*, May 3, 1993, pp.116. <http://traditionalvalues.org/urban/five.php>.

¹² "Homosexual Urban Legend: 30% of Teen Suicide Victims Are Homosexuals," www.traditionalvalues.org/urban/five.php.

¹³ Richard Schneider, Jr., "'The People Gay' and the 10 Percent Debate," *Gay and Lesbian Review Worldwide* 7 (Spring 2000), Academic Search Premier AN 2990702, ISSN1532-1118.

¹⁴ Patrick Rogers, "How Many Gays Are There?" *Newsweek* 15 (February 1993) 46.

¹⁵ National Health Statistics Report, *Sexual Orientation and Health Among U.S. Adults: National Health Interview Survey, 2013* by Brian W. Ward, Ph.D.; James M. Dahlhamer, Ph.D.; Adena M. Galinsky, Ph.D.; and Sarah S. Joestl, Dr.P.H., Division of Health Interview Statistics, Number 77 July 15, 2014, 1.

¹⁶ Diamond, "Homosexuality in Different Populations," 303.

¹⁷ <http://williamsinstitute.law.ucla.edu/research/census-lgbt-demographics-studies/how-many-people-are-lesbian-gay-bisexual-and-transgender/>

¹⁸ What The Research Does and Does Not Say, Is Therapeutic Support for Unwanted Same Sex Attractions Harmful? Phillip M. Sutton, PhD, International Federation for Therapeutic Choice (IFTC), 9.

¹⁹ Journal of Human Sexuality, (Volume 1) What Research Shows: NARTH's Response to the APA Claims on Homosexuality A Report of the Scientific Advisory Committee of the National Association for Research and Therapy of Homosexuality, James E. Phelan, Neil Whitehead. Philip M. Sutton, 2009, 1:47.

²⁰ Robert Perloff, Ph.D., "Free to Choose," Speech presented at the National Association for Research and Therapy of Homosexuality (NARTH) Conference, Washington, D.C., November 12-14, 2004

²¹ "Demography of Sexual Orientation in Adolescents, Pediatrics," *Journal of the American Academy of Pediatrics*, Vol.89, April 1992. (Abstract available online by G Remafedi, MD, MOH; Michel Resnick, PhD; Robert Blum, MD, PhD. and Linda Harris.)

²² Dr. Charles Socarides, *Homosexuality: A Freedom Too Far* (Phoenix: Adam Margrave Books, 1995), 19.

²³ Fergusson, Ph.D., Horwood, MSc, Beautrais, Ph.D., "Is sexual orientation related to mental health problems and suicidality in young people?" *Archives of General Psychiatry*, 1999, 1.

²⁴ The Three Reports: "Hidden Agendas Produce Biased Interpretations," *Physician*, July/August 1992; David Nimmons, "Sex and the Brain," *Discover*, March 1994; "NIH 'Gay Gene' Study Questioned," *Science* 268:184.

²⁵ <http://www.homosexinfo.org/Sexuality/AnalEroticism>

²⁶ <http://www.webmd.com/sexual-conditions/news/20140509/syphilis-cases-climbing-among-gay-men-cdc>

²⁷ <http://www.cdc.gov/msmhealth/STD.htm>

²⁸ <http://www.cdc.gov/msmhealth/viral-hepatitis.htm>

²⁹ http://www.cdc.gov/healthyouth/sexualbehaviors/pdf/hiv_factsheet_ymsm.pdf

³⁰ <http://www.cdc.gov/msmhealth/mental-health.htm>

³¹ <http://www.cdc.gov/msmhealth/substance-abuse.htm>

³² www.cdc.gov/nchs/releases/01news/mort2k.htm

³³ <http://womenshealth.gov/publications/our-publications/fact-sheet/>

lesbian-bisexual-health.html

³⁴Jones and Yarhouse, *Homosexuality: The Use of Scientific Research in the Church's Moral Debate* (InterVarsity Press, 2002), pp. 97-98.

³⁵http://www.connect2mason.com/homosexuality_is_a_mental_illness2

³⁶Jones and Yarhouse, *Homosexuality: The Use of Scientific Research in the Church's Moral Debate* (InterVarsity Press, 2002), pp. 97-98.

³⁷<http://www.behaviorismandmentalhealth.com/2011/10/08/homosexuality-the-mental-illness-that-went-away/>

³⁸http://www.connect2mason.com/homosexuality_is_a_mental_illness2

³⁹http://www.slate.com/articles/health_and_science/medical_examiner/2013/03/sexual_kinks_in_the_dsm_v_paraphilic_disorders_describe_unhappy_kinksters.html

⁴⁰<http://www.nomblog.com/24132/>

⁴¹<http://josephnicolosi.com/who-were-the-apa-task-force-me/>

⁴²<http://josephnicolosi.com/apa-task-force/>



Concerned Women for America
1015 15th Street, N.W., Suite 1100
Washington, D.C. 20005

ConcernedWomen.org

1-800-458-8797